



# LOCATIONS AND KETTLE DIMENSIONS

[www.zinkpower.com](http://www.zinkpower.com)

**2020/2021**



## WE MAKE MORE OF ZINC.

Constructions made of steel and metal are your line of business. Protection of the same is our job. We are galvanizing your products fast, reliable, environmentally friendly and with the highest quality. In this, proximity to our customers plays a key role. With the companies in the ZINKPOWER® Group, you can benefit from:

- Short delivery times
- Delivery services
- Centrally located collection points
- Custom-made logistic services
- Consulting during the design and construction phase
- Support with final building inspections
- Assembly-ready completion of construction components
- Packaging and storing
- Transport to the building sites
- Sandblasting
- Paint removal
- Powder and colour coating

The companies in the ZINKPOWER® Group will provide you with all-round customer care from beginning to end.

**Find out for yourself!**

## HOT-DIP-GALVANIZING – A GREEN ALTERNATIVE.

Conscious and careful management of natural resources such as zinc is one of the ZINKPOWER® Group's main priorities. Therefore we set our own environmental standards:

- Our companies are DIN EN ISO 14001 and DIN EN ISO 9001 certified
- All our plants are equipped with the latest technology
- Our production facilities are planned and optimised by our own team of experts
- The energy consumption and environmental sustainability of each of our investments are checked
- Heat exchangers capture and reuse waste heat
- Our production facilities do not produce waste water
- Special filtering equipment developed by our engineering team is used to purify the air
- Residual and reusable materials are collected, recycled and fed back into the system


Environmentally friendly and sustainable hot dip galvanizing. Now and in the future. With ZINKPOWER® Group.




## ZINKPOWER® COATING SYSTEMS

The coloured design of steel and metal constructions is currently architecturally en vogue. Our innovative coating solutions ZINKPOWER® Standard, Premium and Extreme – form a corrosion protection concept that combines lasting protection with a coloured design. The type of coating is coordinated to the requirements of the respective corrosivity category and is tested by renowned research institutes.


### STANDARD – COLOURFUL PROTECTION FOR HOT-DIP GALVANIZED STEEL



### PREMIUM – DUAL PROTECTION FOR THE TOUGHEST CONDITIONS



### EXTREME – FOR SPECIAL REQUIREMENTS



## ZINKPOWER® FAÇADE PLUS

Hot-dip galvanized building façades are increasingly winning customers with their individual appearance. This appearance is the result of the individual reaction of the zinc-iron layer during the hot-dip-galvanizing process. Nevertheless it is possible to create a corporate unit out of these individuals. Deep know-how in galvanizing process is required as well as careful handling while storing and mounting.



Our goal is to start by consulting with architects, engineers, fabricators and owners before planning the façade, to assure best possible solutions. Be sure, our well-experienced Team will assist you during the complete project and assures the quality of hot-dip galvanizing.

Contact us: [fassade.plus@zinkpower.com](mailto:fassade.plus@zinkpower.com)

## ZINKPOWER LOCATIONS SERVICES

Hot-Dip galvanizing  
Spin galvanizing  
Powder Coating  
Color Coating  
Phosphate Coating  
Passivation  
Galvanizing of reinforcement steel

Hot-Dip galvanizing  
Spin galvanizing  
Powder Coating  
Color Coating  
Phosphate Coating  
Passivation  
Galvanizing of reinforcement steel

<b>GERMANY</b>	<b>KETTLE DIMENSIONS</b> (LxWxD in mtrs)				
<b>Calbe</b>	17,50 x 1,90 x 3,30	•	•	•	•
<b>Remels</b>	15,50 x 2,00 x 3,50	•	•	•	•
<b>Neumünster</b>	15,50 x 1,90 x 3,20	•	•	•	•
	POWDER COATING up to 7,00 x 0,50 x 2,00				
<b>Meckenheim</b>	13,00 x 2,00 x 3,40	•	•	•	•
	POWDER COATING up to 7,00 x 0,60 x 3,20				
<b>Schopsdorf</b>	12,50 x 1,85 x 3,25	•	•	•	•
	POWDER COATING up to 10,00 x 1,20 x 3,20				
<b>Fürstenfeldbruck</b>	10,50 x 2,00 x 3,40	•	•	•	•
<b>Rostock</b>	10,00 x 1,80 x 3,30	•	•	•	•
<b>Lahr</b>	8,50 x 1,70 x 3,20	•	•	•	•
<b>Hamburg</b>	7,50 x 1,65 x 3,20	•	•	•	•
<b>Schönberg</b>	7,00 x 1,80 x 3,00	•	•	•	•
<b>Berlin</b>	7,00 x 1,80 x 3,00	•	•	•	•
<b>Hilden</b>	7,00 x 1,60 x 3,00	•	•	•	•
<b>Schlierbach</b>	7,00 x 1,60 x 3,30	•	•	•	•
<b>Radebeul</b>	7,00 x 1,60 x 3,00	•	•	•	•
<b>Braunschweig</b>	7,00 x 1,60 x 1,60	•	•	•	•
<b>Bernau</b>	7,00 x 1,30 x 2,70	•	•	•	•
<b>AUSTRIA</b>					
<b>Sinabelkirchen</b>	15,50 x 1,80 x 3,20	•	•	•	•
<b>Brunn</b>	13,00 x 1,50 x 3,00	•	•	•	•
<b>Vorchdorf</b>	11,00 x 1,80 x 3,00	•	•	•	•
	4,50 x 1,70 x 2,40	•	•	•	•
<b>Bergheim</b>	8,50 x 2,30 x 3,00	•	•	•	•
<b>Klagenfurt</b>	8,50 x 1,80 x 2,70	•	•	•	•
<b>Wiener Neustadt</b>	7,00 x 1,30 x 2,70	•	•	•	•
<b>Gratkorn</b>	7,00 x 1,40 x 2,50	•	•	•	•
<b>Neumarkt</b>	7,00 x 1,30 x 2,70	•	•	•	•
<b>SLOVAKIA</b>					
<b>Malacky</b>	7,00 x 1,80 x 3,00	•	•	•	•
<b>Martin</b>	7,00 x 1,80 x 3,00	•	•	•	•

<b>CZECH REPUBLIC</b>	<b>KETTLE DIMENSIONS</b> (LxWxD in mtrs)		
<b>Decin</b>	14,00 x 1,80 x 3,00	•	•
<b>Roudnice</b>	7,00 x 1,80 x 3,00	•	•
<b>Ostrava</b>	7,00 x 1,80 x 3,00	•	•
<b>HUNGARY</b>			
<b>Mosonmagyaróvár</b>	16,00 x 2,10 x 3,50	•	•
<b>POLAND</b>			
<b>Wielkopolska</b>	15,50 x 2,40 x 3,20	•	•
<b>Stettin</b>	13,00 x 1,50 x 3,00	•	•
<b>Buk</b>	7,00 x 1,80 x 3,00	•	•
<b>Janów Lubelski</b>	7,00 x 1,80 x 3,00	•	•
<b>DENMARK</b>			
<b>Odense</b>	9,20 x 1,60 x 2,70	•	•
<b>Holstebro</b>	12,20 x 1,60 x 3,00	•	•
<b>TURKEY</b>			
<b>Izmir</b>	7,50 x 1,50 x 2,20	•	•
<b>INDONESIA</b>			
<b>Jakarta</b>	13,00 x 2,00 x 3,40	•	•
<b>USA</b>			
<b>Portland</b>	13,10 x 1,70 x 1,95	•	•
<b>Waco</b>	18,30 x 2,60 x 3,40	•	•
<b>MEXICO</b>			
<b>Monterrey</b>	16,00 x 2,60 x 3,20	•	•
<b>Hidalgo</b>	13,00 x 2,00 x 3,40	•	•
<b>BRAZIL</b>			
<b>São Paulo</b>	13,00 x 2,00 x 3,30	•	•
<b>UNITED ARAB EMIRATES</b>			
<b>Sharjah</b>	16,00 x 1,80 x 3,00	•	•

The union of our group makes us strong. We are in the position of delivering every task from every plant worldwide.

## LOCATIONS OVERVIEW

## THE WORLD OF GALVANIZING

### GERMANY

ZINKPOWER Willi Kopf  
73278 Schlierbach  
Phone +49 (0) 70 21/97 55-0

ZINKPOWER Radebeul  
01445 Radebeul  
Phone +49 (0) 3 51/8 32 85-0

ZINKPOWER Berlin  
12099 Berlin  
Phone +49 (0) 30/70 00 01-0

ZINKPOWER Bernau  
16321 Bernau  
Phone +49 (0) 33 38/39 26-0

ZINKPOWER Rostock  
18057 Rostock  
Phone +49 (0) 3 81/8 09 50-0

ZINKPOWER Hamburg  
20539 Hamburg  
Phone +49 (0) 40/78 09 57-0

ZINKPOWER Schönberg  
23923 Schönberg  
Phone +49 (0) 3 88 28/3 45-0

ZINKPOWER Neumünster  
24536 Neumünster  
Phone +49 (0) 43 21/9 03-0

ZINKPOWER Braunschweig  
38112 Braunschweig  
Phone +49 (0) 5 31/2 31 81-0

ZINKPOWER Remels  
26670 Uplengen  
Phone +49 (0) 49 56/91 19-0

ZINKPOWER Calbe  
39240 Calbe  
Phone +49 (0) 3 92 91/57-0

ZINKPOWER Schoppsdorf  
39291 Genthin (OT Schoppsdorf)  
Phone +49 (0) 39225/6339-0

ZINKPOWER Krieger  
40721 Hilden  
Phone +49 (0) 21 03/98 80-0

ZINKPOWER Meckenheim  
53340 Meckenheim  
Phone +49 (0) 22 25/9 14 50-0

ZINKPOWER Lahr  
77933 Lahr  
Phone +49 (0) 78 21/99 32 14-0

ZINKPOWER Schörg  
82256 Fürstenfeldbruck  
Phone +49 (0) 81 41/31 25-0

### AUSTRIA

ZINKPOWER Brunn  
2345 Brunn/Gebirge  
Phone +43 (0) 22 36/3 05-315

ZINKPOWER Vorchdorf  
4655 Vorchdorf  
Phone +43 (0) 76 14/64 11-0

ZINKPOWER Wiener Neustadt  
2604 Theresienfeld  
Phone +43 (0) 26 22/7 19 12-13

ZINKPOWER Bergheim  
5101 Bergheim  
Phone +43 (0) 6 62/45 20 70

ZINKPOWER Gratkorn  
8101 Gratkorn  
Phone +43 (0) 31 24/2 23 29

ZINKPOWER Klagenfurt  
9020 Klagenfurt  
Phone +43 (0) 4 63/3 21 23

ZINKPOWER Sinabelkirchen  
8261 Sinabelkirchen  
Phone +43 (0) 31 18/51600

ZINKPOWER Neumarkt  
3371 Neumarkt an der Ybbs  
Phone +43 (0) 7412/53543

### SLOVAKIA

ZINKPOWER Malacky  
90101 Malacky  
Phone +421/347 731 836

ZINKPOWER Martin  
03852 Sucany  
Phone +421/433 241 032

### CZECH REPUBLIC

ZINKPOWER Promptus  
405 02 Decin 2  
Phone +420/412 557 011

ZINKPOWER Roudnice  
413 01 Roudnice  
Phone +420/416 841 524

ZINKPOWER Ostrava  
71900 Ostrava  
Phone +420/595 245 960

### POLAND

ZINKPOWER Szczecin  
71-717 Szczecin  
Phone +48 (0) 91/814 01-30

ZINKPOWER Wielkopolska  
62-571 Stare Miasto  
Phone +48 (0) 63/890 13 63

ZINKPOWER Buk  
64-320 Buk  
Phone +48 (0) 61/222 53 43

ZINKPOWER Wschód  
23-300 Janów Lubelski  
Phone +48 (0) 15/840 99 00

### HUNGARY

ZINKPOWER Moson  
9200 Mosonmagyaróvár  
Phone +36/96/21 42 10

### DENMARK

ZINKPOWER Odense A/S  
5220 Odense  
Phone +45 6615 8040

ZINKPOWER Holstebro A/S  
7500 Holstebro  
Phone +45 9746 1144

### TURKEY

ZINKPOWER Izmir  
35470 Menderes-Izmir  
Phone + 90 232 799 00 88

### INDONESIA

PT. ZINKPOWER Austrindo  
15321 Tangerang  
Phone +62 (0) 21/29 58 02 71/72

### USA

ZINKPOWER Waco, LLC  
Waco, TX 76712  
Phone +1 (503) 227-5611

ZINKPOWER Portland, LLC  
Portland, OR 97210  
Phone +1 (503) 227-5611

### MEXICO

ZINKPOWER Hidalgo  
42970 Atitalaquia

ZINKPOWER Monterrey  
65550 Nuevo Leon  
Phone +52 (1) 81/89 01 40 76

### BRAZIL

ZINKPOWER São Paulo  
13160-000 Artur Nogueira – SP  
Phone +55 (0) 19/30 90 23 56

### UNITED ARAB EMIRATES

ZINKPOWER Middle East  
Hamriyah Free Zone, Sharjah  
Phone +971 - 6 - 526 06 07

## HOT DIP GALVANIZING & POWDER COATING

### GERMANY

ZINKPOWER Coating Schoppsdorf  
39291 Genthin (OT Schoppsdorf)  
Phone +49 (0) 39 225/6347-0  
Usable dimension: 10,0 x 1,2 x 3,2 m

ZINKPOWER Meckenheim  
53340 Meckenheim  
Phone +49 (0) 22 25/9 14 50-0  
Usable dimension: 7,0 x 0,6 x 3,2 m

ZINKPOWER Neumünster  
24536 Neumünster  
Phone +49 (0) 43 21/9 03-0  
Usable dimension: 7,0 x 0,5 x 2,0 m

### AUSTRIA

ZINKPOWER Wiener Neustadt  
2604 Theresienfeld  
Phone +43 (0) 26 22/7 19 12-13  
Usable dimension: 12,5 x 1,2 x 3,2 m

More information at:

[www.zinkpower.com](http://www.zinkpower.com)

## LOCATIONS OVERVIEW

50 LOCATIONS IN 13 COUNTRIES  
ON 4 CONTINENTS



- ZINKPOWER® sites
- Coating plants
- Capital city | State capital





## **KOPF HOLDING GMBH**

Heinkelstraße 25  
D-73230 Kirchheim/Teck  
Phone + 49 (0) 70 21 / 97 55-50  
Fax + 49 (0) 70 21 / 97 55-70

[info@zinkpower.com](mailto:info@zinkpower.com)  
[www.zinkpower.com](http://www.zinkpower.com)