

LOCATIONS AND KETTLE DIMENSIONS

www.zinkpower.com

WE'RE ON OUR WAY TO NET ZERO

Driven by our founder's philosophy, ZINKPOWER® started implementing its first sustainability and environmental protection measures as far back as 1973. Thanks to this early commitment, ZINKPOWER® has played a pioneering role for decades when it comes to ecology and sustainability.

This is reflected by our industry-wide reputation as the "green galvanizer" and is constantly being reinforced by the actions we take to make our operations more sustainable.

In total, the measures we currently have in place avoid 50,000 tonnes of CO₂ per year.

And: we are continuing to pursue our mission and ZINKPOWER®'s Way to Net Zero.

ZINKPOWER WAY TO ZERO





WE MAKE MORE OF ZINC

Constructions made of steel and metal are your line of business. Protection of the same is our job. We are galvanizing your products fast, reliable, environmentally friendly and with the highest quality. In this, proximity to our customers plays a key role. With the companies in the ZINKPOWER® Group, you can benefit from:

- Short delivery times
- Delivery services
- Centrally located collection points
- Custom-made logistic services
- Consulting during the design and construction phase
- Support with final building inspections
- Assembly-ready completion of construction components
- Packaging and storing
- Transport to the building sites
- Sandblasting
- Paint removal
- Powder and colour coating

The companies in the ZINKPOWER® Group will provide you with all-round customer care from beginning to end.

Find out for yourself!

ZINKPOWER® FAÇADE PLUS

Hot-dip galvanized building façades are increasingly winning customers with their individual appearance. This appearance is the result of the individual reaction of the zinc-iron layer during the hot-dip-galvanizing process. Nevertheless it is possible to create a corporate unit out of these individuals. Deep know-how in galvanizing process is required as well as careful handling while storing and mounting.



Our goal is to start by consulting with architects, engineers, fabricators and owners before planning the façade, to assure best possible solutions. Be sure, our well-experienced Team will assist you during the complete project and assures the quality of hot-dip galvanizing.

Contact us: fassade.plus@zinkpower.com

ZINKPOWER LOCATIONS SERVICES		Hot-Dip galvanizing	Spin galvanizing	Powder Coating	Colour Coating	Phosphate Coating	Passivation	Galvanizing of reinforcement steel	Hot-Dip galvanizing	Spin galvanizing	Powder Coating	Colour Coating	Phosphate Coating	Passivation	Galvanizing of reinforcement steel
GERMANY	KETTLE DIMENSIONS (LxWxD in mtrs)								CZECH REPUBLIC	KETTLE DIMENSIONS (LxWxD in mtrs)					
Calbe	17.50 x 1.90 x 3.30 COLOUR COATING up to 17.20 x 1.70 x 2.70	•	•	•	•				Decin	14.00 x 1.80 x 3.00	•	•			
Remels	15.50 x 2.00 x 3.50	•	•	•	•		•		Roudnice	7.00 x 1.80 x 3.00	•	•			
Neumünster	15.50 x 1.90 x 3.20 POWDER COATING up to 7.00 x 0.50 x 2.00	•	•	•	•				Ostrava	7.00 x 1.80 x 3.00	•				
Meckenheim	13.00 x 2.00 x 3.40 POWDER COATING up to 7.00 x 1.20 x 3.20	•	•	•	•		•		HUNGARY						
Schopisdorf	12.50 x 1.85 x 3.25 POWDER COATING up to 10.00 x 1.20 x 3.20	•	•	•	•				Mosonmagyaróvár	16.00 x 2.10 x 3.50	•	•	•		
Fürstenfeldbruck	10.50 x 2.00 x 3.40	•	•	•	•		•		POLAND						
Rostock	10.00 x 1.80 x 3.30	•	•	•	•				Wielkopolska	15.50 x 2.40 x 3.20	•				
Lahr	8.50 x 1.70 x 3.40	•	•	•	•				Stettin	13.00 x 1.50 x 3.00	•			•	•
Schönberg	7.00 x 1.80 x 3.00	•	•	•	•				Buk	7.00 x 1.80 x 3.00	•				•
Berlin	7.00 x 1.80 x 3.00	•	•	•	•			•	Janów Lubelski	7.00 x 1.80 x 3.00	•				•
Hilden	7.00 x 1.60 x 3.50	•	•	•	•				DENMARK						
Schlierbach	7.00 x 1.60 x 3.30	•	•	•	•				Holstebro	12.20 x 1.60 x 3.00 COLOUR COATING up to 28.00 x 6.00 x 4.00; for part weight up to 20 t	•	•	•	•	
Radebeul	7.00 x 1.60 x 3.00	•	•	•	•				TÜRKIYE						
Braunschweig	7.00 x 1.60 x 1.60	•	•	•	•				Izmir	7.50 x 1.70 x 3.00	•				
Bernau	7.00 x 1.30 x 2.70	•	•	•					INDONESIA						
Perleberg	6.50 x 1.50 x 2.20 POWDER COATING up to 10.00 x 1.50 x 2.80	•	•	•	•				Jakarta	13.00 x 2.00 x 3.40 COLOUR COATING up to 30.00	•			•	•
AUSTRIA									USA						
Sinabelkirchen	15.50 x 1.80 x 3.20	•	•	•			•		Portland	13.10 x 1.70 x 1.95	•				
Brunn	13.00 x 1.50 x 3.00	•	•	•			•		Waco	18.30 x 2.60 x 3.40 COLOUR COATING up to 16.00	•			•	
Vorchdorf	11.00 x 1.80 x 3.00 4.50 x 1.70 x 2.40	•		•			•		Stoughton	14.60 x 2.00 x 3.40	•				
Bergheim	8.50 x 2.30 x 3.00	•	•	•			•		MEXICO						
Klagenfurt	8.50 x 1.80 x 2.70	•	•	•					Monterrey	16.00 x 2.60 x 3.20 POWDER COATING up to 15.50 x 1.60 x 2.00 COLOUR COATING for part weight up to 15 t	•		•	•	•
Wiener Neustadt	7.00 x 1.30 x 2.70 POWDER COATING up to 12.50 x 1.20 x 3.20	•	•	•					Hidalgo	13.00 x 2.00 x 3.40	•			•	•
Gratkorn	7.00 x 1.40 x 2.50	•	•	•			•		BRAZIL						
Neumarkt	7.00 x 1.30 x 3.50	•	•	•			•		São Paulo	13.00 x 2.00 x 3.30	•				•
SLOVAKIA									UNITED ARAB EMIRATES						
Malacky	7.00 x 1.80 x 3.00	•	•	•			•		Sharjah	16.00 x 1.80 x 3.00	•				
Martin	7.00 x 1.80 x 3.00	•	•												
The union of our group makes us strong. We are in the position of delivering every task from every plant worldwide.															

LOCATIONS OVERVIEW

ZINKPOWER® – THE WORLD OF GALVANIZING

GERMANY

ZINKPOWER Radebeul
01445 Radebeul
Phone +49 (0) 3 51/8 32 85-0

ZINKPOWER Berlin
12099 Berlin
Phone +49 (0) 30/70 00 01-0

ZINKPOWER Bernau
16321 Bernau
Phone +49 (0) 33 38/39 26-0

ZINKPOWER Rostock
18057 Rostock
Phone +49 (0) 3 81/8 09 50-0

ZINKPOWER Perleberg
19348 Perleberg/Düpow
Phone +49 (0) 38 76/30 26 59

ZINKPOWER Schönberg
23923 Schönberg
Phone +49 (0) 3 88 28/3 45-0

ZINKPOWER Neumünster
24536 Neumünster
Phone +49 (0) 43 21/9 03-0

ZINKPOWER Remels
26670 Uplengen
Phone +49 (0) 49 56/91 19-0

ZINKPOWER Braunschweig
38112 Braunschweig
Phone +49 (0) 5 31/2 31 81-0

ZINKPOWER Calbe
39240 Calbe
Phone +49 (0) 3 92 91/57-0

ZINKPOWER Schoppsdorf
39291 Genthin (OT Schoppsdorf)
Phone +49 (0) 39225 / 6339-0

ZINKPOWER Krieger
40721 Hilden
Phone +49 (0) 21 03/98 80-0

ZINKPOWER Meckenheim
53340 Meckenheim
Phone +49 (0) 22 25/9 14 50-0

ZINKPOWER Willi Kopf
73278 Schlierbach
Phone +49 (0) 70 21/97 55-0
ZINKPOWER Lahr
77933 Lahr
Phone +49 (0) 78 21/99 32 14-0

ZINKPOWER Schörrg
82256 Fürstenfeldbruck
Phone +49 (0) 81 41/31 25-0

AUSTRIA

ZINKPOWER Brunn
2345 Brunn/Gebirge
Phone +43 (0) 22 36/3 05-315

ZINKPOWER Wiener Neustadt
2604 Theresienfeld
Phone +43 (0) 26 22/7 19 12-13

ZINKPOWER Neumarkt
3371 Neumarkt an der Ybbs
Phone +43 (0) 7412/53543

ZINKPOWER Vorchdorf
4655 Vorchdorf
Phone +43 (0) 76 14/64 11-0

ZINKPOWER Bergheim
5101 Bergheim
Phone +43 (0) 6 62/45 20 70

ZINKPOWER Gratkorn
8101 Gratkorn
Phone +43 (0) 31 24/2 23 29

ZINKPOWER Sinabelkirchen
8261 Sinabelkirchen
Phone +43 (0) 31 18/51600

ZINKPOWER Klagenfurt
9020 Klagenfurt
Phone +43 (0) 4 63/3 21 23

SLOVAKIA

ZINKPOWER Martin
03852 Sucany
Phone +421/433 241 032

ZINKPOWER Malacky
90101 Malacky
Phone +421/347 731 836

CZECH REPUBLIC

ZINKPOWER Promptus
405 02 Decin 2
Phone +420/412 557 011

ZINKPOWER Roudnice
413 01 Roudnice
Phone +420/416 841 524

ZINKPOWER Ostrava
71900 Ostrava
Phone +420/595 245 960

POLAND

ZINKPOWER Wschód
23-300 Janów Lubelski
Phone +48 (0) 15/840 99 00

ZINKPOWER Wielkopolska
62-571 Stare Miasto
Phone +48 (0) 63/890 13 63

ZINKPOWER Buk
64-320 Buk
Phone +48 (0) 61/222 53 43

ZINKPOWER Szczecin
71-717 Szczecin
Phone +48 (0) 91/814 01-30

HUNGARY

ZINKPOWER Moson
9200 Mosonmagyaróvár
Phone +36/96/21 42 10

DENMARK

ZINKPOWER Holstebro A/S
7500 Holstebro
Phone +45 9746 1144

TÜRKIYE

ZINKPOWER Izmir
35470 Menderes-Izmir
Phone +90 232 799 00 88

INDONESIA

PT. ZINKPOWER Austrindo
15321 Tangerang
Phone +62 (0) 21/29 58 02 71/72

USA

ZINKPOWER Stoughton, LLC
Stoughton, WI 53589
Phone +1 (608) 889-7200

ZINKPOWER Waco, LLC
Waco, TX 76712
Phone +1 (503) 227-5611

ZINKPOWER Portland, LLC
Portland, OR 97210
Phone +1 (503) 227-5611

MEXICO

ZINKPOWER Hidalgo
42970 Atitalaquia
Phone +52 778 688 0155

ZINKPOWER Monterrey
65550 Nuevo Leon
Phone +52 (1) 81/89 01 40 76

BRAZIL

ZINKPOWER São Paulo
13160-000 Artur Nogueira – SP
Phone +55 (0) 19/30 90 23 56

UNITED ARAB EMIRATES

ZINKPOWER Middle East
Hamriyah Free Zone, Sharjah
Phone +971 - 6 - 526 06 07




ZINKPOWER® COATING SYSTEMS


The coloured design of steel and metal constructions is currently architecturally en vogue. Our innovative coating solutions ZINKPOWER® Standard, Premium and Extreme – form a corrosion protection concept that combines lasting protection with a coloured design. The type of coating is coordinated to the requirements of the respective corrosivity category and is tested by renowned research institutes.

Service available in Europe. Ask your ZINKPOWER® team!


STANDARD – COLOURFUL PROTECTION FOR HOT-DIP GALVANIZED STEEL



PREMIUM – DUAL PROTECTION FOR THE TOUGHEST CONDITIONS



EXTREME – FOR SPECIAL REQUIREMENTS



DUPLEX COATING

In addition to hot-dip galvanizing, the ZINKPOWER® Group also offers a range of processes for surface treatment to provide comprehensive corrosion protection for steel and metal parts.

These procedures exploit the double protection offered when combining hot-dip galvanizing with colour coatings, which increases the length for which the protection will be effective by 1.2 to 2.5 times. These duplex coating systems can be applied as a wet paint as well as a powder coating.

THE BENEFITS

- Highly effective corrosion protection
- Attractive finish and available in many RAL and special colours
- All coating and finishes provided by one provider



COLOUR COATING

Our colour coating is especially suitable for steel parts with complex geometries or high component weights.

In colour coating, an organic coating material is applied to hot-dip galvanized steel. This process is also known as a duplex system. It provides a very high level of corrosion protection in addition to providing a component with a coloured finish.

We offer a single or double-layer colour coating process coordinated to the category of corrosivity.

LOCATIONS OVERVIEW



ZINKPOWER® COATING

POWDER COATING

GERMANY

ZINKPOWER Perleberg
Phone +49 (0) 38 76/30 26 71
Working dimensions: 10.0 x 1.5 x 2.8 m
Max. part weight: 1,5 t

ZINKPOWER Neumünster
Phone +49 (0) 43 21/9 03-0
Working dimensions: 7.0 x 0.5 x 2.0 m
Max. part weight: 0,5 t

ZINKPOWER Coating Schopisdorf
Phone +49 (0) 39 225/6347-0
Working dimensions: 10.0 x 1.2 x 3.2 m
Max. part weight: 1,5 t

ZINKPOWER Meckenheim
Phone +49 (0) 22 25/9 14 50-0
Working dimensions: 7.0 x 1.2 x 3.2 m
Max. part weight: 0,6 t

AUSTRIA

ZINKPOWER Wiener Neustadt
Phone +43 (0) 26 22/7 19 12-13
Working dimensions: 12.5 x 1.2 x 3.2 m
Max. part weight: 1,5 t

MEXICO

ZINKPOWER Monterrey
Phone +52 (1) 81/89 01 40 76
Working dimensions: 15.5 x 1.6 x 2 m
Max. part weight: 4 t

COLOUR COATING

GERMANY

ZINKPOWER Calbe
Phone +49 (0) 3 92 91/57-0
Working dimensions: 17.2 x 1.7 x 2.7 m
Max. part weight: 5 t

DENMARK

ZINKPOWER Holstebro A/S
Phone +45 9746 1144
Working dimensions: 28,0 x 6,0 x 4,0 m
Max. part weight: 20 t

INDONESIA

PT. ZINKPOWER Austrindo
Phone +62 (0) 21/29 58 02 71/72
Working dimensions: 30,0 m
Max. part weight: 8 t

USA

ZINKPOWER Waco, LLC
Phone +1 (503) 227-5611
Working dimensions: 16,0 m
Max. part weight: 15 t

MEXICO

ZINKPOWER Monterrey
Phone +52 (1) 81/89 01 40 76
Max. part weight: 15 t



LOCATIONS OVERVIEW

50 LOCATIONS IN 13 COUNTRIES
ON 4 CONTINENTS





KOPF HOLDING GMBH

Heinkelstraße 25
D-73230 Kirchheim/Teck
Phone + 49 (0) 70 21 / 97 55-50
Fax + 49 (0) 70 21 / 97 55-70

info@zinkpower.com
www.zinkpower.com